

## 2010

1. M. L. Kuznetsov, V. Yu. Kukushkin, A. J. L. Pombeiro, Comparative theoretical study of 1,3-dipolar cycloadditions of allyl-anion type dipoles to free and Pt-bound nitriles, *J. Org. Chem.*, **75** (2010) 1474–1490; doi: 10.1021/jo902415d.
2. T. G. Chulkova, P. V. Guschin, M. Haukka, V. Yu. Kukushkin, 18-Crown-6 as a linker for (imino ester)<sub>2</sub>Pt centers providing their assembly into 1D arrays via hydrogen bonding, *Inorg. Chem. Commun.*, **13** (2010) 580–583; doi:10.1016/j.inoche.2010.02.008.
3. N. A. Bokach, N. P. Konovalova, Y. Wang, Yu. E. Moskalenko, A. V. Gribanov, V. Yu. Kukushkin, One-end nucleophilic addition of di- and triamines to Pt<sup>IV</sup> coordinated nitriles as an entry to (amidine)Pt<sup>IV</sup> complexes bearing pendant NH<sub>2</sub>-groups, *Dalton Trans.*, 2010, 4619–4623; doi: 10.1039/c001103g.
4. М. Л. Кузнецов, Н. А. Бокач, Д. Д. Харлампи迪, Ю. Н. Медведев, В. Ю. Кукушкин, А. И. Дементьев, Теоретическое исследование нуклеофильного присоединения аминов к органическим нитрилам, *Ж. общей химии*, **80** (2010) 435–444; M. L. Kuznetsov, N. A. Bokach, D. D. Kharlampidi, Yu. N. Medvedev, V. Yu. Kukushkin, A. I. Dementiev, Theoretical study of nucleophilic addition of amines to organic nitriles, *Russ. J. Gen. Chem.*, **80** (2010) 458–467; doi: 10.1134/S1070363210030151.
5. M. N. Kopylovich, A. M. Kirillov, E. A. Tronova, M. Haukka, V. Yu. Kukushkin, A. J. L. Pombeiro, 1,3,5-Triazapentadiene nickel(II) complexes derived from a ketoxime-mediated single-pot transformation of nitriles, *Eur. J. Inorg. Chem.*, 2010, 2425–2432; doi: 10.1002/ejic.201000019.
6. Yu. Scaffidi-Domianello, K. Meelich, M. A. Jakupc, V. B. Arion, V. Yu. Kukushkin, M. Galanski, B. K. Keppler, Novel *cis*- and *trans*-configured bis(oxime)platinum(II) complexes – synthesis, characterization, and cytotoxic activity, *Inorg. Chem.*, **49** (2010) 5669–5678; doi: 10.1021/ic100584b.
7. P. V. Gushchin, G. L. Starova, M. Haukka, M. L. Kuznetsov, I. L. Eremenko, V. Yu. Kukushkin, Chloride–chloroform clusters exhibiting weak hydrogen and halogen bondings are fully characterized in the solid state by X-ray diffraction, *Crystal Growth & Design*, **10** (2010) 4839–4846; doi: 10.1021/cg1007507.
8. T. A. Anisimova, N. A. Bokach, K. V. Luzyanin, M. Haukka, V. Yu. Kukushkin, Push-pull nitrile ligands exhibit specific hydration patterns, *Dalton Trans.*, **39** (2010) 10790–10798; doi: 10.1039/c0dt00711k.
9. P. V. Gushchin, M. Haukka, A. V. Gribanov, V. Yu. Kukushkin, Crystal structure of dichloro {[anilino(phenylimino)methyl](propanimidoyl)azanide} -[ $\eta^2$ -(*N,N'*-diphenylguanidinato)]platinum(IV) – deuteriochloroform (1:1), PtCl<sub>2</sub>(C<sub>13</sub>H<sub>12</sub>N<sub>3</sub>)(C<sub>16</sub>H<sub>17</sub>N<sub>4</sub>)•CDCl<sub>3</sub>, *Z. Kristallogr. NCS*, **225** (2010) 280–282; doi 10.1524/zkri.2010.0121.